

Are You moved by Your Social Network Application?

Abderrahmen Mtibaa Augustin Chaintreau Anna-Kaisa Pietilainen Christophe Diot
Thomson, Paris

ABSTRACT

This paper studies a Bluetooth-based mobile social network application deployed among a group of 28 participants collected during a computer communication conference. We compare the *social graph* containing friends, as defined by participants, to the *contact graph*, that is the temporal network created by opportunistic contacts as owners of devices move and come into communication range. Our contribution is twofold: First, we prove that most properties of nodes, links, and paths correlate among the social and contact graphs. Second, we study how the structure of the social graph helps building forwarding paths in the temporal network, allowing two nodes to communicate over time using opportunistic contacts and intermediate nodes. Efficient paths can be built using only pairs of nodes that are close in a social sense, making opportunistic forwarding compliant with the requirement of social network application.

1. INTRODUCTION

Social interaction in the ancient time primarily took place through physical meeting. The telegraph and telephone networks made a first step toward remote social interaction. More recently, the Internet added multiple social interaction techniques not based on physical meeting: email, chat, and Online Social Network services (OSN) such as facebook, orkut, MySpace, or LinkedIn, etc. These applications create a virtual space where users can build the social network of their acquaintances independently of where they are located, and allow these social networks (or communities) to interact freely using a large set of Internet applications. However, when people with similar interests or common acquaintances get close to each others in streets or conferences, they have no automated way to identify this potential “relationship”. With geolocalization applications, it is now highly likely that OSNs will include in a near future some representation of user location, and offer services to “link” mobile users. However, the relation between virtual social interactions and physical meeting remains largely unexplored.

In this paper we study the evolution of the social relationships of a group of 28 participants using smart-

phones on which we had installed a mobile opportunistic social networking application, during ACM CoNEXT 2007. At the beginning of the conference, device users were asked to identify and enter in their device their “friends” among conference participants. We call this list of social connections the initial social network. During the conference, they are informed of who is present in their neighborhood, and notified by a distinctive ring or a vibration if a friend, or a friend of a friend, is seen. A user can decide to ignore these notifications, or meet one of these persons physically and/or add them to its list of friends. Our devices log (1) all Bluetooth contacts between experimental devices, as well as (2) all user action such as adding a new friend or deleting an existing friend. We use this data set to study the evolution of the initial social graph and to analyze how human mobility and social relationships mutually impact each other in the specific context of a conference¹. One of the key issue we study is the feasibility of opportunistic forwarding [1, 3, 5, 4], that is delivering data between two nodes on a forwarding path using opportunistic contacts and intermediate nodes².

To the best of our knowledge, this is the first attempt to compare the graph of social relationships as defined by the users and the contact opportunities resulting from their mobility during a community event (*i.e.* a computer network conference). We make the following contributions:

- Properties of nodes, links, and paths, are studied jointly in the social graph of friends and in the temporal network of opportunistic contacts. We observe expected and unexpected similarities, which confirm that classifying nodes based on their friends is relevant for the temporal network as well. We notice that this correspondence improves with time. (Section 4)
- We show that delay-efficient forwarding paths can

¹We have decided to conduct these experiments during conferences as it is a reasonable group size to cover and because it can be reproduced with similar environment.

²See, for instance, Pocket Switched Networks[1] or Delay-Tolerant Networks (www.dtnrg.org).

be constructed using only contacts between people close in a social sense, following the principle underlying most OSN. Moreover, the contacts that are critical for opportunistic forwarding can be identified from the position of the contacted nodes in the social network. Our empirical analysis compares several heuristic rules. (Section 5)

These early results, even if limited in scope and depth, are very encouraging and will help us improve our experimental devices in order to prepare the next experimental campaign.

2. RELATED WORKS

Most social properties have been studied for static graph, with a few notable exceptions [7, 9]. Properties of paths built over time in a quickly varying graph is a relative new topic [9, 2, 8]. So far the similarities with traditional social networks have been investigated in a macroscopic sense: evidence of heavy tailed statistics for degree [8] and inter-contact times [2, 5], community identification [9, 4], short diameter [7, 2]. In contrast, we focus here on topological similarity “node-per-node” between the two networks.

Several research works recently considered the problem of designing opportunistic forwarding schemes that are aware of social properties [3, 4]. This implicitly assumes that opportunistic contacts relate with the social property that is used to design one algorithm. Our work does not propose new algorithms but it addresses the above issue more generally. It can be used to understand what type of information is the most relevant. Note that social relationships between participants is for the first time defined by the participants themselves via the application. In previous works we are aware of [4], participants have just been asked their interests, affiliation, etc. and social graphs have been inferred from their answers.

3. DATA AND METHODOLOGY

3.1 Experimental settings

The goal of the experiment is to study the characteristics of a social network built using mobile devices in order to meet potential friends, make new friends or delete existing friends. The experimental devices are HTC 640 and Touch smartphones running our mobile opportunistic social networking application.

Participants have been chosen among the participants of ACM Sigcomm CoNext 2007 conference held in New-York City on December 15-17, 2007. Before running the application, each participant is asked to select its friends among the 150 CoNext participants. The list of friends constitutes the initial social network of each participant. Our social networking application rings or

vibrates any time a friend, a friend of a friend, is in the Bluetooth neighborhood. The neighborhood is displayed on the user’s device who can add new friends or delete existing friends based on his or her discussion with them. Our objective is to study how the initial network evolved based on opportunistic contacts made during the conference, and how it relates.

Limiting the list of friends to the set of conference participants is not representative of their complete social network, nevertheless it captures social relationship within this event. We believe it is an acceptable restriction for an initial experiment.

The 28 participants were asked to use the application at their own convenience and to maintain the device with enough battery. The experiment lasts three days and each device is being used an average of 2,2 days (as people arrive and leave at different times)³. We define the offline time as the time during which (within the full trace) the device was not running the application. The average offline time is 32,1 hours resulting mainly from application crashes and battery depletion. Devices scan their environment using Bluetooth every 2 minutes (as in previous experiments [1]). A total of 9024 opportunistic contacts have been recorded among the experimental devices. For this particular experiment, we ignore contacts made with non experimental Bluetooth devices such as laptops or regular cell phones. We focus in the rest of the paper on day-time contact characteristics (contacts occurring during conference time: from 9am to 6pm).

3.2 Definitions and Terminology

In the rest of this paper, we refer to the slowly varying graph of friendship between participants as the *social graph*, which we denote as $G = (V, E)$.

The collection of opportunistic Bluetooth contacts between the participants form a temporal network (*i.e.* a graph with a static set of nodes, and a set of edges that may change with time, cf. [6, 1]). We call this temporal network the *contact graph*, and denote it by $G_t = (V, E_t)$. Paths may be constructed in temporal network as a concatenation of contacts following a chronological property. Among these paths, a path from $s \in V$ to $d \in V$ starting at time t_0 is delay-optimal if it reaches the destination d in the earliest possible time. Delay-optimal paths for any starting time and any source-destination pair can be computed efficiently via dynamic programming (see [2] for more details).

4. TOPOLOGICAL COMPARISON

In this section, we study the topologies of the social graph and the contact graph with respect to nodes, contacts and paths.

³One out of the 28 nodes has been removed as it was used only for a couple of hours.

4.1 Social Graph Characteristics

Table 1 presents some characteristics of the social graph (shown in Figure 1) created by participants in the application described above.

	Initial Graph	Final Graph
# connected nodes	26	27
# edges	56	115
average degree	5.2	9.5
clustering coefficient	0.2	0.36
diameter	7	4

Table 1: Statistics of social graph




Figure 1: Social Graph

The *initial social graph* (represented by black edges in Figure 1) denotes the friends network when the application started. During the experiment users could become friends when meeting opportunistically, resulting in the *final social graph* which, in addition, contained the gray edges shown in the same Figure. From the table, one can see that the average degree roughly doubles during the course of the experiment, as well as the clustering coefficient⁴, while the diameter is divided by 2.

4.2 Properties of node

Complex system and social networks are usually characterized by large heterogeneity between the nodes. A small portion of highly active nodes typically co-exist with a large population of nodes that follow a normal volume of activity. In this section, we wish to identify such nodes and compare them in both graphs.

4.2.1 Node degree

A first estimation of the importance of a node in a network is its *degree*, which measures its neighborhood. Equivalently, in the contact graph, the size of the neighborhood of a node is the average number of devices

⁴The clustering coefficient is defined as the average for $u \in V$ of the ratio between the number of edges connecting neighbors of u and the number of pairs of neighbors of u .

that it meets via opportunistic contacts during a scan (measured during daytime). We present both measures, jointly for each node, in Figure 2.




Figure 2: Joint values of the nodes degree in the social and contact graph: for final social graph (main) and initial social graph (small frame)

We intuitively expect that a node with a larger number of friends also sees more opportunistic contacts. However, there is no reason to believe that these two values are related linearly. Hence, to check the first assertion, we define the *ordering error* as

$$\frac{|\{ u \neq v \in V, M(u) \leq M(v) \text{ and } M_t(u) > M_t(v) \}|}{|V|(|V| - 1)},$$

where M and M_t denotes two functions $V \rightarrow \mathbb{R}$, which depends respectively on G and $G_{t,t}$, and associates a metric value to each vertex.

There does not seem to be a significant correlation among the two metrics when the contact graph is compared to the initial social graph (indeed, a fifth of the pairs create ordering errors when using these two metrics). However, during the course of the experiment, some correlation appears and the ordering error decreases. In other words, it is likely that we meet regularly people who are not part of our social circle, but as time goes on, the proximity plays a role in order to make friends. This applies to our experiment, since our application allows to make new friends only via opportunistic meeting.

4.2.2 Centrality

Centrality is a more refined measure of the importance of a node for a network; it deals with the occurrence of this node inside the shortest paths connecting

pairs of other nodes. It is defined in a static graph as

$$C(v) = \frac{|\{s, d \in V \setminus \{v\}, s \neq d \mid v \in \pi(s, d)\}|}{(|V| - 1)(|V| - 2)},$$

where $\pi(s, d)$ denotes the shortest path from s to d in G . Similarly, we define the centrality of a vertex in the temporal network G_t as

$$C_t(v) = \frac{|\{t, s, d \in V \setminus \{v\}, s \neq d \mid v \in \pi(s, d, t)\}|}{(|V| - 1)(|V| - 2) \cdot T},$$

where $\pi(s, d, t)$ denotes the delay-optimal path starting at time t from s to d , and T is the experiment duration.

Figure 3 compares the centrality of nodes, shown jointly for social and contact graph, when initial and final social graph are used. Centrality varies among nodes: one node appears in almost 7% (resp. 3%) of the shortest paths drawn in the final social graph (resp. contact graph) while most others nodes appear in less than 1% (resp. 0.5%) of them. For the final social graph, the two measures correlate (and 96% of the pairs of node compare in the same way according to both measures).




Figure 3: Joint values of the nodes centrality in the social and contact graph: for final social graph (main), initial social graph (small frame)

Centrality measures includes properties of multi-hop path, it is less affected by limitations of Bluetooth than the degree, and should be a more accurate measure. Our results tend to indicate that beyond local discrepancy, hierarchical relations between the nodes should have profound relation in the two graphs.

4.3 Properties of contacts

We now study how properties of opportunistic contacts depends on the *social distance*, defined between

two nodes on the social graph (friends have distance 1, friends of friends have distance 2, etc.).

We have studied contacts according to their duration, their frequency, and the time elapsed between two successive contacts of the same pair (also known as *inter-contact time*). Due to space constraints we present only the values of the inter-contact time in Figure 4. The me-




Figure 4: Inter-contact time seen for pairs with different distance in the social graph

dian inter-contact time grows from 6 minutes between two friends, to nearly an hour (ten times more) when nodes have distance 3 or 4 in the social graph. We see that contacts between friends are almost all separated by less than an hour. We observed that the centrality of a nodes also plays an important role. A typical node with centrality around 6% has on average a contact every hour, for every other node whatever be its social distance from it. Nodes with medium or low centrality (around 2% or 0.5%), in contrast, sees on average a contact every hour for each of their friend, but not with the nodes at distance 2 and more from them.

Finally, we observe that contacts between friends are significantly longer: 75% of the contacts with friends are longer than 10 minutes, whereas 75% of the contacts with nodes at distance 4 are shorter than 13 minutes.

4.4 Properties of Delay-Optimal Paths

We now study delay-optimal paths (as defined in Section 3) as a function of the distance between the source and the destination in the social graph.

Figure 5 (a) plots the CDF for the optimal delay seen at all starting times, for sources and destinations with different social distance. As expected, delay is smaller for nodes that are closer. Note that this distribution depends a lot on the centrality of the source, as shown for two different nodes in Figure 5 (b) and (c). The




Figure 5: Properties of delay-optimal paths for different distance in the social graph

delay from a central nodes to any other node is within 10 minutes roughly 20% of the time, even for nodes at distance 3. In contrast, the delay falls under 10 minutes only for 10% of the time when the source is non central, even to communicate with its friend.

The $(1 - \varepsilon)$ -diameter of a temporal network is defined in [2]; it is the number of hops that is needed to achieve a fraction at least $(1 - \varepsilon)$ of the success ratio obtained with flooding, for a given maximum delay. In other words, this is the maximum number of hops k , necessary to construct all paths needed to be almost competitive with flooding, with a fixed maximum delay. Figure 5 plots the diameter (choosing $\varepsilon = 1\%$) for pairs of nodes at different social distance. Interestingly, the value of the diameter is of the same order as the diameter of the social graph, 4. Moreover it seems to follow the social distance between the source and the destination, as each additional hop increases the value of the diameter by 1.

To summarize our results, nodes may be ranked according to their centrality, their rank in the social graph and in the contact graph coincide more or less. Opportunistic contacts as well as the optimal paths which may be constructed between two nodes depends on their centrality and on the social distance between them.

5. PATHS CONSTRUCTION WITH OSN

The observations we made in the previous section can be used to design heuristic rules to construct efficient paths based on relationship in the social network. So far we have studied the properties of delay-optimal paths in the temporal network. Such paths offer the best possible delivery ratio, but they can only be found *a posteriori*, or otherwise using flooding. In this section, we present early results on the constructive properties of forwarding paths.

All the construction rules we consider fits in the following general model: depending on the source s and the destination d , a rule defines a subset of directed

pairs of nodes ($u \rightarrow v$) so that only the contacts occurring for pairs in the subset are allowed in forwarding path. We consider the following construction rules.

neighbor(k): ($u \rightarrow v$) is allowed if and only if u and v are within distance k in the social graph.

destination-neighbor(k): ($u \rightarrow v$) is allowed if and only if v is within distance k of d .

non-decreasing-centrality: ($u \rightarrow v$) is allowed if and only if $C(u) \leq C(v)$.

non-increasing-distance: ($u \rightarrow v$) is allowed if and only if the social distance from v to d is no more than the one from u to d .

We always assume in addition that pairs ($u \rightarrow d$) are allowed for all u , as any opportunity to complete the path with a single hop should not be missed. We have considered other rules as well (non-decreasing-degree, or strictly-decreasing-distance), which could not be shown for lack of space.

Each rule above defines a heuristic method to select among all the opportunistic contacts the ones that are crucial in order to connect source and destination quickly over time. Our objective is to design a rule that reduces as much as possible the contacts used, while allowing quasi-optimal delay. For comparison we introduce two measures for each rule: (1) its *selectivity*, which is measured by the fraction of the directed pairs ($u \rightarrow v$) that it allows, and (2) its *success ratio* which is the probability that a path exists and follows this rule, with a maximum delay (e.g. ten minutes). Typically this success can be normalized by the success of flooding.

The results for a selected set of rules may be found in Figure 6, where we show the delay distribution for two rules, as well as a comparison of selectivity and normalized success ratio (measured at ten minutes). For com-




Figure 6: Performance of different path construction rule.

parison, we have presented in some of them the performance (delay or success ratio) obtained when selecting contacts randomly according to the same selectivity.

We have tested all rules mentioned above, and also combined several rules together (defined by intersection) to study their complementarity. The most important observations follow.

- The neighbor rule performs reasonably well in comparison with other, and significantly better than a random choice. This result is encouraging as people that are neighbors (*e.g.* friends, or friends of friends) are more likely to cooperate (and trust each other) in order to construct a path over time.
- The rule based on centrality outperforms all the rules we have tested (reaching more than 95% of success with half of the pairs). It is better than the rule that uses the social distance to the destination for similar selectivity. This result is counter-intuitive as the scheme based on distance depends on the destination, whereas non-decr.-centrality is destination unaware. Note that even the rule based on degree, which is even simpler, outperforms the one based on distance.
- The combination of neighbor and centrality rules naturally improves selectivity, offering more flexibility and achieves one of the best trade-offs.

Therefore, we can conclude, based on these evidences that for the context of a community event like a conference, the primary factor to decide whether a node is a good next hop is its centrality. In addition, it seems that the best performance trade-off is obtained when several complementary rules are combined.

6. DISCUSSION

This paper presents initial comparison results of a social network, as defined by users in an OSN appli-

cation, and measurement of opportunistic contacts between these users. Our results, which are limited to a single event happening inside a community, highlights more generally the importance of central nodes and proves that using social neighbors to communicate (as in a traditional OSN) can be effective.

7. ACKNOWLEDGMENTS

We would like to gratefully acknowledge Jon Crowcroft and Kevin Fall for their insightful remarks on this work.

8. REFERENCES

- [1] A. Chaintreau, P. Hui, J. Crowcroft, C. Diot, J. Scott, and R. Gass. Impact of human mobility on opportunistic forwarding algorithms. *IEEE Trans. Mob. Comp.*, 6(6):606–620, 2007.
- [2] A. Chaintreau, A. Mtibaa, L. Massoulié, and C. Diot. The diameter of opportunistic mobile networks. In *Proc. of ACM CoNext*, 2007.
- [3] E. M. Daly and M. Haahr. Social network analysis for routing in disconnected delay-tolerant manets. In *Proc. of ACM MobiHoc*, 2007.
- [4] P. Hui, J. Crowcroft, and E. Yoneki. Bubble rap: Social-based forwarding in delay tolerant networks, 2008. to appear in *Proc. of ACM MobiHoc '08*.
- [5] T. Karagiannis, J.-Y. L. Boudec, and M. Vojnovic. Power law and exponential decay of intercontact times between mobile devices. In *Proc. of MobiCom*, 2007.
- [6] D. Kempe, J. Kleinberg, and A. Kumar. Connectivity and inference problems for temporal networks. In *Proc. of ACM STOC*, 2000.
- [7] J. Leskovec, J. Kleinberg, and C. Faloutsos. Graphs over time: densification laws, shrinking diameters and possible explanations. In *Proc. of ACM KDD*, 2005.
- [8] A. Miklas, K. Gollu, K. Chan, S. Saroiu, P. Gummadi, and E. de Lara. Exploiting social interactions in mobile systems. In *Proc. of Ubicomp*, 2007.
- [9] C. Tantipathananandh, T. Berger-Wolf, and D. Kempe. A framework for community identification in dynamic social nets. In *Proc. of ACM KDD*, 2007.